



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T. N. of N. R. No 17 2nd Mer. Ind. a.

I certify that the foregoing Transcript of the
field notes of T. N. of N. R. No 17, 2nd Mer. in
Ind. has been compared with the original
notes in this Office and found to be correct.
Surveyor General's Office
Cincinnati, Oct 15/1841 S.

Sur General.

Township N. 8. South of Range N. 1 West of the 2nd Mer. Indiana

South Boundary. April 2^d 1841.

West. On the South Boundary of Sec. 36 T. 8. N. R. 1 W.
From the cor of T. 8 N. R. 1 E. 1 W.

40,00 Set a post from which
W Oak 10 in diam. N. 37 W. 30 1/2 mts. dist. to,
Lp 18 1/2 " " N. 83 E. 19 1/2 "

112.00 To a Brook. 8 mts. m. course S. E.

80,00 Set a post for the cor of sec. 35 & 36. From which,
Stick 3 in diam. N. 2 E. 3 1/2 mts. dist. to,
W Oak 20 1/2 " " N. 32 W. 18 1/2 "
Poor Hilley Oak Land.

West On the South Boundary of Sec. 35 T. 8 N. R. 1 W.

39.00 To a Brook 25 mts. m. course S.

40.00 Set a post from which,
Butt nut 6 in diam. N. 58 W. 10 1/2 mts. dist. to,
W. Birch 3 1/2 " " S. 59 E. 14 1/2 "

80,00 Set a post for the cor of sec. 34 & 35. From which,
Birch 5 in diam. N. 12 W. 11 1/2 mts. dist. to,
Stick 11 1/2 " " S. 4 E. 21 1/2 "
Middleling good land. Timber Birch.

West On the South Boundary of sec. 34 T. 8 N. R. 1 W.

13.50 To a Brook. 8 mts. m. course, N. E.


40,00 Set a post from which,
Sugar 14 in diam. N. 31 E. 10 1/2 mts. dist. to,
Birch 4 1/2 " " S. 45 W. 25 1/2 "

80,00 Set a post for the cor of sec. 33 & 34. From which,
Sugar 18 in diam. N. 35 W. 27 1/2 mts. dist. to,
Birch 10 " " S. 8 E. 5 1/2 "
Land same as last mts.

West On the South Boundary of sec. 33 T. 8 N. R. 1 W.

T 8 N

R 1 W



Township N. VII, Range N. I, West of 2nd Meridian. Surveyed by Arthur Harris. 1815.

Description of the Soil on the interior Sectional lines.

Description of the Soil in the					
between Sections	Locality &c.		between Sections		between Sections
35.36	Milly thin Soil - Timber Oak & Hickory		33.34	Land Rich Rolling - Timber Walnut, Sugar Birch, Oak & Hickory	31.32
35.36	ditto		27.34	ditto	29.32
35.36	ditto		27.28	ditto	29.30
24.25	ditto		22.27	ditto	20.29
23.24	Land Rolling rich Soil - Timber Birch, Sugar Oak & Ash		21.22	ditto	19.20
13.24	ditto		15.22	ditto	17.20
12.20	ditto		15.16	ditto	17.18
12.13	ditto		10.15	ditto	8.17
11.12	ditto		9.10	ditto	7.8
1.12	ditto		3.10	ditto	5.8
1.8	ditto		3.4	ditto	3.6
24.25	ditto		32.33	ditto	6.7
24.25	ditto		28.33	ditto	7.48
25.27	ditto		26.29	ditto	18.19
23.24	ditto		21.28	ditto	19.30
22.23	ditto		20.21	ditto	20.31
20.23	ditto		16.24	ditto	
18.18	ditto		16.17	ditto	
18.15	ditto		9.16	ditto	
18.15	ditto		8.9	ditto	

T. N. of N. R. No 1 W. 2nd Mer. Ind. a.

I certify that the foregoing Transcript of the
field notes of T. N. of N. R. No 1 W. 2nd Mer. in
Ind. has been compared with the original
notes in this Office & found to be correct.
Surveyor General's Office
Cincinnati, Oct 17/1841 S.

Sur General.

Township N. 8. South of Range N. 1 West of the 2nd Mer. Indiana

South Boundary. April 2^d 1841.

West. On the South Boundary of Sec. 36. T. 8. N. R. 1 W.
From the cor of T. 8. N. R. 1 E. 1 W.

40.00 Set a 7/8 sup post from which,
W Oak 10 in diam. bears S. 37 N. 30 W. 100 yds. dist. to,
Log 18 " " " N 83 E 19 " "

42.00 To a Brook. 8 yds. wide, course S. E.

80.00 Set a post from the cor of sec. 35 & 36. from which,
Nick 13 in diam. bears N. 27 E. 3 yds. dist. to,
W Oak 20 " " " N 30 W 18 " "
Poor Hilky Oak Land.

West. On the South Boundary of Sec. 35. T. 8. N. R. 1 W.

39.00 To a Brook. 25 yds. wide, course S.

40.00 Set a 7/8 sup post from which,
Butt post 6 in diam. bears N. 50 W. 10 yds. dist. to,
W. Birch 3 " " " S 79 E 14 " "

80.00 Set a post from the cor of sec. 34 & 35. from which,
Birch 5 in diam. bears N. 47 W. 11 yds. dist. to,
Nick 11 " " " N 60 E 21 " "
Middleling good land. Timber Birch.

West. On the South Boundary of Sec. 34. T. 8. N. R. 1 W.

43.50 To a Brook. 8 yds. wide, course N. E.

40.00 Set a 7/8 sup post from which,
Sugar. 14 in diam. bears N. 31 E. 10 yds. dist. to,
Birch 4 " " " S 45 W. 25 " "

80.00 Set a post from the cor of sec. 33 & 34 from which,
Sugar. 18 in diam. bears N. 35 W. 27 yds. dist. to,
Birch 10 " " " S 8 E 5 " "
Land same as last note.

West. On the South Boundary of Sec. 33. T. 8. N. R. 1 W.

40.00 Set a ^{1/4} suppost from which,
Nicky 8 in dist. from. N42W 12 links dist. to,
Beck 9 " " S44E 26 " "
37.50 To a Brook 10 links wide, corner S.
80.00 Set a post for the cor of sec. 32 & 33 from which,
Beck 14 in dist. from. N80E 4 links dist. to,
Sugar 10 " " S45W 20 " "
Lands from Timber Beck, Walnut Nicky

West On the South Boundary of sec. 32 T. 8. N. R. 1 W.
40.00 Set a ^{1/4} suppost from which,
Nicky 13 in dist. from. N54E 6 links dist. to,
Dogwood 4 " " S27W 22 " "
66.50 To a Brook 8 links wide, corner S.
80.00 Set a post for the corner of 31 & 32 from which,
Beck 4 in dist. from. S70E 12 links dist. to,
Do. 4 " " West 13 " "
Pine Beck, corner

West On the South Boundary of sec. 31 T. 8. N. R. 1 W.
40.00 Set a ^{1/4} suppost from which,
Sugar 6 in dist. from. N52E 3 links dist. to,
Do. 4 " " S65W 16 " "
56.50 To a corner 75 links wide, corner S. E.
80.00 Set a ^{1/4} suppost for the cor of T. 8. N. R. 1 W. 2nd Mer.
Lands rich and timber Timber Sugar, Ash, Walnut
Surveyed by
James Holmes
Dep. J. Ind.

East Boundary
North On the East Boundary of sec. 36 T. 8. N. R. 1 W.
on the 2nd Principal Meridian

15.00 To a Brook 4 links wide, corner S.
25.00 " " Do. 4 " " " E.
40.00 Set a ^{1/4} suppost from which,
Beck 24 in dist. from. N38E 10 links dist. to,
Dogwood 9 " " S38W 22 " "
65.00 To a Brook 4 links wide, corner E.
70.00 To " Do. 40 " " " S. E.
80.00 Set a post for the corner of 25 & 36 from which,
Sugar 12 in dist. from. S78W 25 links dist. to,
Dogwood 36 " " S87E 25 " "
Hilly Oak lands.

North On the East Boundary of sec. 25 T. 8. N. R. 1 W.
1.00 To a Brook 40 links wide, corner S. W.
15.00 " " Do. — " " " E. E.
35.00 " " Do. — " " " S. W.
40.00 Set a ^{1/4} suppost in a Brook from which,
Sugar 16 in dist. from. East 15 links dist. To
Brook to the West
75.00 To a Brook 6 links wide, corner W.
80.00 Set a post for the corner of 24 & 25 from which,
Sugar 10 in dist. from. N50E 16 links dist. to,
Dogwood 4 " " S76W 23 " "
Lands bottom, Timber Beck, Sugar & Elm.

North On the East Boundary of sec. 24 T. 8. N. R. 1 W.
15.00 To a Brook 6 links wide, corner S. W.
40.00 Set a ^{1/4} suppost from which,
Oak 24 in dist. from. S82W 6 links dist. to,
Maple 8 " " S78E 5 " "
50.00 To a Brook 6 links wide, corner S. W.
50.30 " " Sugar 16 " "
55.00 To a Brook — links wide, corner S. E.

40.00 Set a post from which,
Nicky 8 in dist. from NW 12 links dist. to,
Buck 9 " " S 44 E 26 " "
57.50 To a Brook 10 links wide, corner S.
80.00 Set a post for the cor of sec. 32 & 33. From which,
Buck 14 in dist. from S 80 E 7 links dist. to,
Sugar 10 " " S 45 W 20 " "
Sunde from Timber Buck, Walnut Nicky

West On the South Boundary of sec. 32 T. 8 N. R. 1 W.
40.00 Set a post from which,
Nicky 13 in dist. from S 54 E 6 links dist. to,
Dogwood 4 " " S 27 W 22 " "
66.50 To a Brook 8 links wide, corner S.
80.00 Set a post for the cor of sec. 31 & 32 from which,
Buck 4 in dist. from S 70 E 12 links dist. to,
Do. 4 " " West 13 " "
Pine Buck, land;

West On the South Boundary of sec. 31 T. 8 N. R. 1 W.
40.00 Set a post from which,
Sugar 6 in dist. from S 53 E 3 links dist. to,
Do. 4 " " S 65 W 16 " "
56.50 To a Brook 75 links wide, corner S. E.
80.00 Set a temporary post for the cor of T. 7 & 8 N. R. 1 & 2 W.
Sunde rich and land Timber Sugar, Ash, Walnut
Surveyed by
James Holmes
Dep. J. Sur.

East Boundary
North On the East Boundary of sec. 36 T. 8 N. R. 1 W.
on the 2nd Principal Meridian

15.00 To a Brook 4 links wide, corner E.
25.00 " Do. 4 " " " E.
40.00 Set a post from which,
Buck 24 in dist. from S 38 E 10 links dist. to,
Dogwood 9 " " S 38 W 25 " "
65.00 To a Brook 4 links wide, corner E.
70.00 To Do. 40 " " " S. E.
80.00 Set a post for the cor of sec. 25 & 36 from which,
Sugar 12 in dist. from S 78 W 25 links dist. to,
Sycamore 36 " " S 87 E 25 " "
Hilly Oak land.

North On the East Boundary of sec. 25 T. 8 N. R. 1 W.
1.00 To a Brook 40 links wide, corner S. W.
15.00 " Do. — " " " S. E.
35.00 " Do. — " " " S. W.
40.00 Set a post in a Brook from which,
Sugar 16 in dist. from East 15 links dist. to
Brook to the West
75.00 To a Brook 6 links wide, corner W.
80.00 Set a post for the cor of sec. 24 & 25. From which,
Sugar 10 in dist. from S 50 E 16 links dist. to,
Dogwood 4 " " S 76 W 23 " "
Sunde bottom, Timber Buck, Sugar & Elm.

North On the East Boundary of sec. 24 T. 8 N. R. 1 W.
15.00 To a Brook 6 links wide, corner S. W.
40.00 Set a post from which,
Oak 24 in dist. from S 82 W 6 links dist. to,
Maple 8 " " S 78 E 5 " "
50.00 To a Brook 6 links wide, corner S. W.
50.30 " Sugar 16 " "
55.00 To a Brook — links wide, corner S. E.

80.00 Kept up the Brook. At the cr. then left it to the West
Set apart for the cargo of 134th from which,
Buck 18 in dist. from. N 53 E 16 mts. dist. to,
10. 18 " " " 658 N 33. " "
Hilly Buck, land, 1st 1/2 mts. near Limbu
Sugar, Buck, &c.

North On the East Boundary of sec. 13 T. 8. N. R. 177.
40.00 Set a 1/2 suppost from which,
Buck 8 in dist. from. N 14 W. 9 mts. dist. to,
N Oak. 12 " " " 539 E 23 " "

69.75 To a Sugar. 15 in dist. in the line.
Land hold Limbu Sugar

80.00 Set apart for the cargo of 124th from which,
Buck. 12 in dist. from. N 20 E 31 mts. dist. to,
Sugar. 24 " " " 12 E 60 " "

North On the East Boundary of sec. 12. T. 8. N. R. 177.
15.00 To a Poplar 30 in dist. in the line.
35.50 To a Brook 3 mts. near, corner E.
40.00 Set a 1/2 suppost from which,
N Oak. 36 in dist. from. N 10 E 19 mts. dist. to,
Sugar. 6 " " " 62 E 24 " "

45.00 To a Brook 3 mts. near, corner E.

60.00 " " 20. 5 " " " E.

72.50 " " Sugar. 10 in dist. in the line.

78.00 To a Brook 6 mts. near, corner E.

80.00 Set apart for the cargo of 141st from which,
Sugar 8 in dist. from. N 3 E 6 mts. dist. to,
Buck 12 " " " N 16 W 26 " "

Land near Limbu Sugar, Buck, Oak,

North On the East Boundary of sec. 1. T. 8. N. R. 177

26.40 To a Sugar. 15 in dist. in the line.
40.00 Set a 1/2 suppost from which,
Sugar 8 in dist. from. N 64 W 25 mts. dist. to,
Buck 15 " " " N 64 E 34 " "

40.70 To a Brook 10 mts. near, corner E.

60.00 " " 20. 10 " " " E.

80.00 Set apart for the cargo of 138th 177th 178th 179th 180th 181st 182nd 183rd 184th 185th 186th 187th 188th 189th 190th 191st 192nd 193rd 194th 195th 196th 197th 198th 199th 200th 201st 202nd 203rd 204th 205th 206th 207th 208th 209th 210th 211st 212nd 213rd 214th 215th 216th 217th 218th 219th 220th 221st 222nd 223rd 224th 225th 226th 227th 228th 229th 230th 231st 232nd 233rd 234th 235th 236th 237th 238th 239th 240th 241st 242nd 243rd 244th 245th 246th 247th 248th 249th 250th 251st 252nd 253rd 254th 255th 256th 257th 258th 259th 260th 261st 262nd 263rd 264th 265th 266th 267th 268th 269th 270th 271st 272nd 273rd 274th 275th 276th 277th 278th 279th 280th 281st 282nd 283rd 284th 285th 286th 287th 288th 289th 290th 291st 292nd 293rd 294th 295th 296th 297th 298th 299th 300th 301st 302nd 303rd 304th 305th 306th 307th 308th 309th 310th 311st 312nd 313rd 314th 315th 316th 317th 318th 319th 320th 321st 322nd 323rd 324th 325th 326th 327th 328th 329th 330th 331st 332nd 333rd 334th 335th 336th 337th 338th 339th 340th 341st 342nd 343rd 344th 345th 346th 347th 348th 349th 350th 351st 352nd 353rd 354th 355th 356th 357th 358th 359th 360th 361st 362nd 363rd 364th 365th 366th 367th 368th 369th 370th 371st 372nd 373rd 374th 375th 376th 377th 378th 379th 380th 381st 382nd 383rd 384th 385th 386th 387th 388th 389th 390th 391st 392nd 393rd 394th 395th 396th 397th 398th 399th 400th 401st 402nd 403rd 404th 405th 406th 407th 408th 409th 410th 411st 412nd 413rd 414th 415th 416th 417th 418th 419th 420th 421st 422nd 423rd 424th 425th 426th 427th 428th 429th 430th 431st 432nd 433rd 434th 435th 436th 437th 438th 439th 440th 441st 442nd 443rd 444th 445th 446th 447th 448th 449th 450th 451st 452nd 453rd 454th 455th 456th 457th 458th 459th 460th 461st 462nd 463rd 464th 465th 466th 467th 468th 469th 470th 471st 472nd 473rd 474th 475th 476th 477th 478th 479th 480th 481st 482nd 483rd 484th 485th 486th 487th 488th 489th 490th 491st 492nd 493rd 494th 495th 496th 497th 498th 499th 500th 501st 502nd 503rd 504th 505th 506th 507th 508th 509th 510th 511st 512nd 513rd 514th 515th 516th 517th 518th 519th 520th 521st 522nd 523rd 524th 525th 526th 527th 528th 529th 530th 531st 532nd 533rd 534th 535th 536th 537th 538th 539th 540th 541st 542nd 543rd 544th 545th 546th 547th 548th 549th 550th 551st 552nd 553rd 554th 555th 556th 557th 558th 559th 560th 561st 562nd 563rd 564th 565th 566th 567th 568th 569th 570th 571st 572nd 573rd 574th 575th 576th 577th 578th 579th 580th 581st 582nd 583rd 584th 585th 586th 587th 588th 589th 590th 591st 592nd 593rd 594th 595th 596th 597th 598th 599th 600th 601st 602nd 603rd 604th 605th 606th 607th 608th 609th 610th 611st 612nd 613rd 614th 615th 616th 617th 618th 619th 620th 621st 622nd 623rd 624th 625th 626th 627th 628th 629th 630th 631st 632nd 633rd 634th 635th 636th 637th 638th 639th 640th 641st 642nd 643rd 644th 645th 646th 647th 648th 649th 650th 651st 652nd 653rd 654th 655th 656th 657th 658th 659th 660th 661st 662nd 663rd 664th 665th 666th 667th 668th 669th 670th 671st 672nd 673rd 674th 675th 676th 677th 678th 679th 680th 681st 682nd 683rd 684th 685th 686th 687th 688th 689th 690th 691st 692nd 693rd 694th 695th 696th 697th 698th 699th 700th 701st 702nd 703rd 704th 705th 706th 707th 708th 709th 710th 711st 712nd 713rd 714th 715th 716th 717th 718th 719th 720th 721st 722nd 723rd 724th 725th 726th 727th 728th 729th 730th 731st 732nd 733rd 734th 735th 736th 737th 738th 739th 740th 741st 742nd 743rd 744th 745th 746th 747th 748th 749th 750th 751st 752nd 753rd 754th 755th 756th 757th 758th 759th 760th 761st 762nd 763rd 764th 765th 766th 767th 768th 769th 770th 771st 772nd 773rd 774th 775th 776th 777th 778th 779th 780th 781st 782nd 783rd 784th 785th 786th 787th 788th 789th 790th 791st 792nd 793rd 794th 795th 796th 797th 798th 799th 800th 801st 802nd 803rd 804th 805th 806th 807th 808th 809th 810th 811st 812nd 813rd 814th 815th 816th 817th 818th 819th 820th 821st 822nd 823rd 824th 825th 826th 827th 828th 829th 830th 831st 832nd 833rd 834th 835th 836th 837th 838th 839th 840th 841st 842nd 843rd 844th 845th 846th 847th 848th 849th 850th 851st 852nd 853rd 854th 855th 856th 857th 858th 859th 860th 861st 862nd 863rd 864th 865th 866th 867th 868th 869th 870th 871st 872nd 873rd 874th 875th 876th 877th 878th 879th 880th 881st 882nd 883rd 884th 885th 886th 887th 888th 889th 890th 891st 892nd 893rd 894th 895th 896th 897th 898th 899th 900th 901st 902nd 903rd 904th 905th 906th 907th 908th 909th 910th 911st 912nd 913rd 914th 915th 916th 917th 918th 919th 920th 921st 922nd 923rd 924th 925th 926th 927th 928th 929th 930th 931st 932nd 933rd 934th 935th 936th 937th 938th 939th 940th 941st 942nd 943rd 944th 945th 946th 947th 948th 949th 950th 951st 952nd 953rd 954th 955th 956th 957th 958th 959th 960th 961st 962nd 963rd 964th 965th 966th 967th 968th 969th 970th 971st 972nd 973rd 974th 975th 976th 977th 978th 979th 980th 981st 982nd 983rd 984th 985th 986th 987th 988th 989th 990th 991st 992nd 993rd 994th 995th 996th 997th 998th 999th 1000th

Surveyed by
Alexander Holmes.
Deputy Sur.

North Boundary.

B. 132.

East On a Random line On the South Boundary of T. 9. N. R. 177.
Six mts. Tell 14 ch North of S. corner.
Corrected and marked the line West.

West On the South Boundary of sec. 36. T. 9. N. R. 177.

27.00 To a Brook 10 mts. near, corner N. E.

40.00 Set a 1/2 suppost from which,
N Oak 30 in dist. from. N 58 W 28 mts. dist. to,
Buck 12 " " " N 80 E 19 " "

80.00 Set apart for the cargo of 35th 36th from which,
Buck 18 in dist. from. N 70 W 24 mts. dist. to,
Hick 10 " " " N 50 E 7 " "
Land Buck, land.

West On the South Boundary of sec. 35 T. 9. N. R. 177.

40.00 Set a 1/2 suppost from which,
Sugar 14 in dist. from. N 69 E 13 mts. dist. to,
Do 11 " " " N 50 W 21 " "

77.50 To a Brook 8 mts. near, corner N.

80.00 Set apart for the cargo of 34th 35th from which,
Buck 12 in dist. from. N 38 W 31 mts. dist. to,

Beck 11 in dirt beam. N 8 E. 17 links east
Sands and timber same.

West On the South Boundary of sec. 34. T. 9 N. R. 1 W.
40.00 Set a post from whike,
Sugar 14 in dirt beam. N 66 W. 21 links east, to,
Loc. 5 " " " " N 40 E. 22 " "
71.00 To a Brook 12 links mid, course N W
80.00 Set a post further across 33 & 34 from whike,
Beck 5 in dirt beam. N 39 W. 25 links east, to,
Loc. 16 " " " " N 48 E. 35 " "
Sands rich and. herb. Timber Sugar Ash, Buckh.

West On the South Boundary of sec. 33. T. 9 N. R. 1 W.
40.00 Set a post from whike,
Sugar 14 in dirt beam. N 69 E. 10 links east, to,
Loc. 10 " " " " N 55 W. 116 " "
54.00 To a Brook. 50 links mid, course S.
73.50 " " Loc. 25 " " " " S. E.
80.00 Set a post further across 32 & 33 from whike,
Beck 20 in dirt beam. N 22 E. 12 links east, to,
Beck 36 " " " " N 37 W. 36 " "
Sands R. rate same. last R. rate same. Timber
Sugar Ash Walnut. &c.

West On the South Boundary of sec. 32. T. 9 N. R. 1 W.
40.00 Set a post from whike,
Sugar 5 in dirt beam. N 60 E. 10 links east, to,
Ash 14 " " " " N 84 W. 18 " "
33.50 To a Brook 20 links mid, course S. E.
80.00 Set a post further across 31 & 32 from whike,
Beck 11 in dirt beam. N 72 W. 20 links east, to,
Beck 4 " " " " N 60 E. 19 " "

Sand R. rate. Timber Sugar Ash & Walnut.

West On the South Boundary of sec. 31. T. 9 N. R. 1 W.
40.00 Set a post from whike,
Oak 16 in dirt beam. N 70 E. 17 links east, to,
Dogwood 3 " " " " N 64 W. 15 " "
80.00 Moved the Timber post 200 links South to E. of T.
8 & 9. N. R. 1 & 2 W. from whike,
Beck 13 in dirt beam. N 26 E. 18 links east, to,
Oak 16 " " " " N 66 W. 32 " "
Good Oak lands herb and rich.

West Boundary.

B 130

North On the East Boundary of sec. 36. T. 8 N. R. 2 W.
15.00 To a Brook. 50 links mid, course S. E.
40.00 Set a post from whike,
Beck 13 in dirt beam. N 60 E. 17 links east, to,
Loc. 15 " " " " N 40 W. 15 " "
55.50 To an Ash. 16 in dirt in the tree.
80.00 Set a post further across 25 & 36 from whike,
Dogwood 4 in dirt beam. N 60 E. 10 links east, to,
Beck. 18 " " " " N 15 W. 27 " "
Sands R. rate in R. rate same. 2nd R. rate. Rich &
herb. Timber Sugar & Walnut. Ash. &c.

North On the East Boundary of sec. 25. T. 8 N. R. 2 W.
16.50 To a Brook 8 links end, course E.
28.00 To a Brook. 40 in dirt. stands with tree.
40.00 Set a post from whike,
Sugar 13 in dirt beam. N 74 E. 20 links east, to,
Beck 8 " " " " N 65 W. 26 " "
44.00 To a Brook 60 links mid, course S. E.
80.00 Set a post further across 24 & 25 from whike,

Sugar 13 in dia^r beam. N 55 E 11 links dist. 10,
 Do. 14 " " " N 57 W 24 " "
 Sand & timber same as last, m^o.

North On the East Boundary of sec. 24 T 8. N. R. 2 W.
 18.00 To a W Oak 30 in dia^r in the line.
 40.00 Set a 7th support from which,
 Sugar 16 in dia^r beam. S 78 W 14 links dist. 10,
 Beak 3 " " " N 10 E 13 " "
 80.00 Set apart for the crop Sec. 13 & 24 from which,
 Sugar 13 in dia^r beam. S 66 E 14 links dist. 10,
 Do 6 " " " N 66 W 24 " "
 Land of middling quality Timber Beech, Sugar,
 Poplar, &c. &c.

North On the East Boundary of sec. 13. T 8. N. R. 2 W.
 40.00 Set a 7th support from which,
 W Oak 16 in dia^r beam. S 52 W 37 links dist. 10,
 Dogwood 6 " " " N 47 E 13 " "
 69.00 To a Beech 8 links near Leonard Co.
 78.00 " " Sugar 13 in dia^r in the line
 80.00 Set apart for the crop sec. 12 & 13. from which,
 Oak 6 in dia^r beam. N 30 W 11 links dist. 10,
 W Oak 5 " " " S 66 E 18 " "
 Land 12 1/2 m^o same; 2nd 7th 2nd rate Timber Oak, Poplar, &c.

North On the East Boundary of sec. 12. T 8. N. R. 2 W.
 23.50 To a Beech 14 in dia^r stands in the line.
 35.00 To a Spring Run. 20 links near Leonard Co.
 Rattle snake den at the Head
 40.00 Set a 7th support from which,
 Poplar 16 in dia^r beam. N 65 E 8 links dist. 10,
 Poplar 36 " " " N 54 W 24 " "

80.00 Set apart for the crop sec. 1 & 12 from which,
 Dogwood 4 in dia^r beam. S 60 W 7 links dist. 10,
 R Oak 30 " " " N 40 E 5 " "
 Solid Oak land.

North On the East Boundary of sec. 1. T 8. N. R. 2 W.
 28.50 To a W Oak 36 in dia^r in the line.
 40.00 Set a 7th support from which,
 W Oak 10 in dia^r beam. S 56 W 11 links dist. 10,
 Poplar 10 " " " N 31 E 7 " "
 57.50 To an R Oak 20 in dia^r in the line.
 81.00 Set a temporary post for the crop of T 8 & 9 N. R. 1 & 2 W.
 April 3. 1811 Surveyed by
 James Holmes D^o.

Subdivisions

North Return Sec 35 & 36. T 8. N. R. 1 W.
 40.00 Set a 7th support from which,
 Beech 15 in dia^r beam. N 30 E 28 links dist. 10,
 Do 15 " " " N 30 W 32 " "
 80.00 Set apart for the crop sec. 25, 26, 35 & 36. from which,
 Maple 10 in dia^r beam. N 66 W 3 links dist. 10,
 Beech 3 " " " S 52 W 7 " "
 Land hilly, thin soil. Timber Oak, Hickory, &c.

East On a Random line between Sec 25 & 36. T 8. N. R. 1 W.
 40.00 Set a temporary 7th support.
 79.00 To a Beech 25 links near Leonard Co.
 80.56 Enter at the East Boundary 10 links North of the post,
 cor of sec. 25 & 36. Same as the same.

West On the line between Sec. 25 & 36. T 8. N. R. 1 W.
 40.03 Set the temporary 7th support at the end of the line in the line

from which, Beak 12 in dir. here. A59 E. 12 the dist
 endow 10.5 " " " A4 E. 12 " "
 80.06 To the cor of our 25, 26, 35 & 36.

North Between Sur 25 & 26. T. S. A. R. 17.
 40.00 Set a 7/8 suppost from which,
 Beak 15 in dir. here. A56 N. 13 links dist, &c,
 Sassafras " " " A18 E. 26 " "
 55.00 To a Birch 12 links mid, corner E.
 80.00 Set a post for the cor of our 23, 24, 25 & 26. From which,
 Auk 10 in dir. here. A80 E. 16 links dist, &c,
 Beak 5 " " " A31 E. 11 " "
 Same the same.

East On a Random line between Sur 24 & 25 T. S. A. R. 17.
 40.00 Set a temp? 7/8 suppost.
 65.50 To a Birch 15 links mid, corner S.W.
 80.16 Enter cut the East Boundary 26 links North of the
 post cor of our 24 & 25. Same hilly, thin soil. Timber
 Oak & Hick

West On the true line between Sur 24 & 25 T. S. A. R. 17.
 40.08 Set the temp? 7/8 suppost. at the av. dist. on the true line
 from which, Beak 6 in dir. here. A53 E. 25 the dist.
 andow W Oak 15 " " " A83 E. 14 " "
 80.16 To the post cor of our 23, 24 & 25 & 26.

North Return Sur 23 & 24 T. S. A. R. 17.
 40.00 Set a 7/8 suppost from which,
 Sugar 12 in dir. here. A15 E. 22 links dist, &c,
 Do. 5 " " " A19 N. 22 " "
 40.50 To a Spring - the mid, corner S.E.
 48.00 " " Do. - " " " S.E.

54.00 To a Spring - links mid, corner S.E.
 80.00 Set a post for the cor of our 13, 14, 23 & 24 from which,
 Beak 8 in dir. here. A69 E. 15 links dist, &c,
 W Oak 10 " " " A99 N. 22 " "
 Same rolling and rich Timber. Beak, Sugar, Poplar,
 Oak & Ash.

East On a Random line between Sur 13 & 24 T. S. A. R. 17.
 32.00 To a Birch 12 links mid, corner S.E.
 40.00 Set a temp? 7/8 suppost.
 80.00 Enter cut the East Boundary at the cor of our 13 & 24.
 Same the same.

West On the true line between Sur 13 & 24 T. S. A. R. 17.
 40.00 Set a post for the cor. of 1/4 Sec. at the av. dist. on the
 true line from which a 9 in. Oak
 W Oak 20 in diam. bears S. 25. E. 30 links dist. &c,
 " Do. 8 " " " A 15 E. 16 " "
 80.00 To the post cor. of Sec. 13, 14, 23 & 24.

North Return Sur 13 & 14 T. S. A. R. 17.
 40.00 Set a 7/8 suppost from which,
 Beak 8 in dir. here. A70 E. 24 links dist, &c,
 Do. 10 " " " A58 N. 22 " "
 80.00 Set a post for the cor of our 11, 12, 13 & 14 from which,
 Beak 18 in dir. here. A23 N. 19 links dist, &c,
 W Oak 15 " " " A50 E. 18 " "
 Same the same.

East On a Random line between Sur 12 & 13 T. S. A. R. 17.
 40.00 Set a temp? 7/8 suppost.
 79.57 Enter cut the East Boundary 40 links South of the post
 cor of our 12 & 13. Same the same.

T. N. 8. N. R. No 177 D. and M. Ind.

West On the line between Sur 12 & 13 T. 8. N. R. 177.
 39.78 Set the trip for support at the ar. dish on the line from
 from white, Buck 13 in deer beam. S56 E 8 the dist,
 and a No. 12 " " A65 N. 22 " "
 79.87 To the post on of sur 11, 12, 13 & 14

North Return Sur 11 & 12 T. 8. N. R. 177.
 38.00 To support corner S.W.
 40.00 Set a support from white,
 Buck 20 in deer beam. S27 N. 24 links dist; to,
 Sugar. 10 " " " A54 N. 26 " "
 80.00 Set a post for the corner of sur 1, 2, 11, & 12 from white,
 Buck 4 in deer beam. S35 E 4 links dist; to,
 No. 5 " " " A30 N. 11 " "
 Same the same.

East On a R. on line between Sur 1 & 12 T. 8. N. R. 177.
 40.00 Set a trip for support.
 78.70 Intersect the East Boundary 44 links South of the
 post on of sur 1 & 12. Same the same.

West On the line between Sur 1 & 12 T. 8. N. R. 177.
 39.35 Set the trip for support at the ar. dish on the line from
 from white, Buck 5 in deer beam. N76 E 7 the dist,
 and a No. 6 " " " S76 N. 20 " "
 78.70 To the post on of sur 1, 2, 11 & 12.

North Return Sur 1 & 12 T. 8. N. R. 177.
 40.00 Set a support from white,
 Sugar. 3 in deer beam. S40 E 15 links dist; to,
 Sugar. 4 " " " A44 N. 26 " "
 77.34 Set out the N. Boundary 170 links East of the post on
 of Sur 35 & 36. T. 9. N. R. 177 and set a post for the cor.

T. N. 8. N. R. No 177 D. and M. Ind.

of Sur 1 & 9 from white,
 Sugar. 25 in deer beam. N36 N. 13 links dist; to,
 Buck 11 " " " S45 N. 5 " "
 Same the same.

North Return Sur 34 & 35 T. 8. N. R. 177.
 17.00 To a B. on 12 links side, corner S.
 40.00 Set a support from white,
 Buck 8 in deer beam. N13 E 13 the dist; to,
 No. 18 " " " S23 N. 30 " "
 80.00 Set a post for the corner of sur 26, 27, 34 & 35 from white,
 Ash. 6 in deer beam. East. 15 links dist; to,
 No. 8 " " " A59 E 19 " " Same the same.

East On a R. on line between Sur 26 & 35 T. 8. N. R. 177.
 1.00 To a B. on 10 links side, corner S.W.
 40.00 Set a trip for support.
 79.80 Set out the N. 18 line 10 links South of the post on of
 Sur 25, 26, 33 & 36. Same the same.

West On the line between Sur 26 & 35 T. 8. N. R. 177.
 39.90 Set the trip for support at the ar. dish on the line from
 white, Sugar. 10 in deer beam. S68 N 17 links dist; to,
 Buck. 12 " " " S37 E 12 " "
 79.80 To the corner of sur 26, 27, 34 & 35.

North Return Sur 26 & 27 T. 8. N. R. 177.
 40.00 Set a support from white,
 Sugar. 10 in deer beam. S44 E 20 links dist; to,
 Buck. 12 " " " A31 N. 5 " "
 80.00 Set a post for the corner of sur 22, 23, 26 & 27 from white,
 Hickory 18 in deer beam. S35 E 15 links dist; to,
 Logwood " " " A89 N. 4 " "

T. N. 8. N. R. N. 179th Mer. Ind.

Beck. 6 in air. hms. N. E. 11 links dist; 80
 Do. 6 4 " " N 61 N. W. 4 "
 Same the same.

East On a Random line between Sec. 24 N. 78 N. R. 1 W.
 3.00 To a Rock 18 links wide, corner S. W.
 12.00 " Do. 10 " " " S. W.
 40.00 Set a temp. 1/4 support.
 80.12 Intersub the N. E. line. 20 links South of the post.
 cor of sec. 1, 2, 11 & 12. Same the same.

West On the line line between Sec. 24 N. 78 N. R. 1 W.
 40.00 Set the temp. 1/4 support at the arch in the line
 from which, Beck. 12 in air. hms. N. E. 11 links dist;
 and do. Do. 10 4 " " N 9 N. 13 " "
 80.12 To the post cor of sec. 2, 3, 10 & 11.

North Return Sec. 24 N. 78 N. R. 1 W.
 40.00 Set a 1/4 support from which,
 Beck. 18 in air. hms. N. E. 11 links dist; 80
 Do. 8 4 " " N 29 E. 15 " "
 75.80 Intersub the N. E. line. 30 9 links East of the post cor
 of sec. 34 & 35 C. 9 N. R. 1 W. and set a post for the cor.
 " " 213 from which,
 Sugar. 12 in air. hms. N. E. 11 links dist; 80
 Do. 10 4 " " N 80 N. 29 " "
 Same the same.

North Return Sec. 33 & 34 N. 78 N. R. 1 W.
 40.00 Set a 1/4 support from which,
 Hickory 12 in air. hms. N. E. 11 links dist; 80
 Poplar. 4 4 " " N 80 N. 29 " "
 80.00 Set a post for the cor of sec. 27, 28, 33 & 34 from which,

T. N. 8. N. R. N. 179th Mer. Ind.

Beck. 8 in air. hms. N. E. 11 links dist; 80
 Do. 8 4 " " N 70 N. 14 " "
 Sand rich on a rolling timber Walnut, Sugar, & Buck,
 Oak & Hickory

East On a Random line between Sec. 27 & 34 N. 78 N. R. 1 W.
 40.00 Set a temp. 1/4 support.
 80.00 Intersub the N. E. line at the post cor of sec. 26, 27, 34 & 35.
 Same the same.

West On the line line between Sec. 27 & 34 N. 78 N. R. 1 W.
 40.00 Set a temp. 1/4 support for the 1/4 sec cor at the arch in
 the line from which,
 Beck. 29 in air. hms. N. E. 11 links dist; 80
 Sugar. 8 4 " " N 78 N. 24 " "
 80.00 To the post cor of sec. 27, 28, 33 & 34.

North Return Sec. 27 & 34 N. 78 N. R. 1 W.
 40.00 To a spring corner N.
 40.00 Set a 1/4 support from which,
 Sugar. 5 in air. hms. N. E. 11 links dist; 80
 Beck. 4 4 " " N 36 E. 22 " "
 80.00 Set a post for the cor of sec. 21, 22, 27 & 28 from which,
 Beck. 5 in air. hms. N. E. 11 links dist; 80
 Do. 10 4 " " N 27 E. 26 " "
 Same the same.

East On a Random line between Sec. 22 & 27 N. 78 N. R. 1 W.
 40.00 Set a temp. 1/4 support.
 80.12 Intersub the N. E. line 10 links South of the post cor of sec. 22, 23, 26 & 27. Same the same.

West On the line line between Sec. 22 & 27 N. 78 N. R. 1 W.
 40.00 Set the temp. 1/4 support at the arch in the line from

which, N Oak 30 in diam here. N 35 E. 6 links dist.
Sugan Ash 16 " " " N 20 E. 30 " "
80.12 To the post on of ear. 21. 22, 23 & 28

North Return Jul 21 1892 T. 8. N. R. 177.

30.00 To a Brook 15 links mid, Come S. W.

40.00 Set a 7th support from which,
Sugan 12 in diam here. N 62 W. 13 links dist, S. W.
Buckeye 10 " " N 57 W. 25 " "

61.00 To a Brook 6 links mid, Come S. E.

80.00 Set a post for the cor of ear. 15. 16. 21 & 22 from which,
Beck 20 in diam here. N 15 E. 5 links dist, S. W.
Do. 20 " " " S 81 E. 30 " "
Saw a little rolling stick, Timber poplar, ash &
Syc. &c.

East On a Kanam line between Jul 15 & 22 T. 8. N. R. 177.

7.00 To a Brook 6 links mid, Come S.

16.00 " " Do. 30 " " " "

40.00 Set a timber 7th support.

80.00 Intersect the N 15 line 10 links South of the post on
of ear. 14. 15. 22 & 23. Saw a timber same.

West On the true line between Jul 15 & 22 T. 8. N. R. 177.

40.00 Set the timber 7th support at the ar. dist. on the true line
from which Sugan 9 in diam here. S 76 W. 10 links dist.
and a Do. 8 " " " N 15 E. 7 " "

80.00 To the post on of ear. 15. 16. 21 & 22.

North Return Jul 15 & 16 T. 8. N. R. 177.

40.00 Set a 7th support from which,
Beck 16 in diam here. S 27 W. 19 links dist, S. W.
Do. 10 " " " N 60 E. 30 " "

63.00 To a Brook 12 in diam on the true line.

80.00 Set a post for the cor of ear. 9. 10. 15 & 16 from which,
Beck 8 in diam here. N 60 W. 15 links dist, S. W.
Do. 18 " " " N 57 E. 17 " "
Saw the same.

East On a Kanam line between Jul 10 & 15 T. 8. N. R. 177.

35.00 To a Brook 7 links mid, Come S. E.

40.00 Set a timber 7th support.

41.50 To a Brook 10 links mid, Come S.

79.76 Intersect the N 15 line 11 links North of the post on of
Jul 10. 11. 14 & 15. Saw the same.

West On the true line between Jul 10 & 15 T. 8. N. R. 177.

39.88 Set the timber 7th support at the ar. dist. on the true line.
from which, Buckeye 10 in diam here. S 17 W. 15 links dist.
and a Sugan 4 " " " N 31 E. 15 " "

79.76 To the post on of ear. 9. 10. 15 & 16.

North Return Jul 9 & 10 T. 8. N. R. 177.

40.00 Set a 7th support from which,
Beck 8 in diam here. N 48 W. 15 links dist, S. W.
Sugan 8 " " " N 9 E. 15 " "

54.50 To a Brook 18 in diam on the true line.

80.00 Set a post cor of ear. 3. 24 & 25 from which,
Beck 8 in diam here. N 52 E. 7 links dist, S. W.
Do. 5 " " " S 20 W. 21 " "
Saw a timber the same.

East On a Kanam line between Jul 3 & 10 T. 8. N. R. 177.

40.00 Set a timber 7th support.

58.00 To a Brook 10 links mid, Come S.

79.66 Intersect the N 15 line 22 links North of the post on of

of cut 2, 3 10 11. Same the same.

West On the line line between Sec 3 & 10 T. 8 N. R. 1 W.
39.83 Set the timber post at the ar. dist. on the line line
from which, Buck 4 in air beam. S 6 E. 30 the dist.
under 10. 6 4 " " N 87 W 32 "
49.66 To the post end of cut 3. 4. 9 110.

North Return Sec 3 & 10 T. 8 N. R. 1 W.
40.00 Set a 7/8 support from which,
Poplar 6 in air beam. S 6 E. 7 lmb. dist. 10,
Buck 11 " " " S 77 E. 11 " "
48.50 To a Mark 30 in air in the line.
44.50 Enter cut the N. B. end of 40 1/2 lmb. East of the post
end of cut 33 & 34 T. 9 N. R. 1 W. and set apart for
" " " 3 1/2 lmb. from which,
Buck 30 in air beam. N 20 W. 28 lmb. dist. 10,
Go. 15 " " " N 30 E. 26 " "
Same the same.

North Return Sec 32 & 33 T. 8 N. R. 1 W.
17.51 To a Spring Co. West.
40.00 At the Elm 12 in air. N. end for the end of the line.
57.50 To a Spring Brook 6 lmb. with corner N.
80.00 Set apart for the end of cut 28. 29. 32 & 33 from which,
Sugar 12 in air beam. S 8 E. 32 lmb. dist. 10,
Elm 18 " " " S 55 W. 14 " "
Same the same.

East On a K. end line between Sec 28 & 33 T. 8 N. R. 1 W.
20.00 To a Brook 4 lmb. with corner N.
40.00 Set a 7/8 support post.
70.50 To a Brook 10 lmb. with corner N.

80.00 Enter cut the N. B. line 28 lmb. South of the post end of
Sec 27 28 33 & 34. Same the same.

West On the line line between Sec 28 & 33 T. 8 N. R. 1 W.
40.00 Set the timber post at the ar. dist. on the line line
from which, Mark 8 in air beam. N 82 E. 22 the dist.
under 10. 6 4 " " N 53 E. 12 " "
80.00 To the post end of cut 28. 29. 32 & 33.

North Return Sec 28 & 29 T. 8 N. R. 1 W.
4.50 To a Brook 12 lmb. with corner S. W.
40.00 Set a 7/8 support from which,
Buck 11 in air beam. N 20 W. 3 lmb. dist. 10
Elm 8 " " " N 39 E. 23 " "
50.00 To a Brook 25 lmb. with corner S. W.
54.00 " " " 10. 35 " " " 26.
80.00 Set apart for the end of cut 20. 21. 28 & 29 from which,
N. Walnut 15 in air beam. S 9 E. 6 the dist. 10,
Sugar 9 " " " N 50 W. 11 " "
Same the same.

East On a K. end line between Sec 21 & 28 T. 8 N. R. 1 W.
40.00 Set a timber post.
49.50 To a Brook 25 lmb. with corner S. W.
74.50 " " " 10. 10 " " " N. W.
79.90 Enter cut the N. B. line 10 lmb. South of the post end of
Sec 21. 22. 27 & 28. Same the same.

West Return Sec 21 & 28 T. 8 N. R. 1 W. line line
39.95 Set the timber post at the ar. dist. on the line line
from which, Mark 30 in air beam. N 20 E. 10 the dist.
under 10. 6 4 " " N 7 E. 25 " "
79.90 To the end of cut 20. 21. 28 & 29.

West
39.31 On the line between Dec 20 1879. T. 8 N.R. 2 W.
Set the timber post on the line in the corner of the
from which, 15 in. in diam. 167 E. 10 lbs. dist.
made a Sugar 5 " " No 3 W. 22 " "
78.62 To the post on of 1st 19.20.27 1830.

West
40.00 Return Dec 19 1830 T. 8 N.R. 1 W.
Set a 7/4 sap post from which,
Beck 15 in. diam. beam East 12 lbs. dist. to
N Oak 18 " " " 148 W. 10 " "
117.50 To a Brook 10 lbs. mid. corner D.
84.00 Enter at the West Boundary 42 lbs. South of the
post on of 1st 24 1825. T. 8. N.R. 2 W. and set a
post " " " 19130 from which,
Sugar 10 in. diam. beam. N 32 W 3 lbs. dist. to,
No 8 " " " 27 W. 20 " "
Sound the same.

North
40.00 Return Dec 19 1820 T. 8. N.R. 1 W.
Set a 7/4 sap post from which,
Sugar 10 in. diam. beam. N 45 W. 8 lbs. dist. to,
No. 15 " " " 144 E. 28 " "
80.00 Set a post for the corner of 1st 18.19 1820 from which,
Beck 12 in. diam. beam N 9 W. 46 lbs. dist. to,
No. 8 " " " 143 E. 25 " "
Sound the same.

East
100 On a Random line between Dec 17 1820 T. 8 N.R. 1 W.
To a Brook 12 lbs. mid. corner. D.
40.00 Set a timber 7/4 sap post.
72.00 To a Brook 20 lbs. mid. corner D.W.
78.40 Enter at the N 13 line 12 lbs. North of the post
on of 1st 16.17.20 1871. Sound the same.

West
39.20 On the line between Dec 17 1820 T. 8 N.R. 1 W.
Set the timber 7/4 sap post at the corner on the line in
from which, Beck 30 in. diam. beam N 47 E. 18 lbs. dist.
made a Sugar " " " N 39 W. 19 " "
78.40 To the corner of 1st 18.19 1820.

West
40.00 Return Dec 18 1819 T. 8. N.R. 1 W.
Set a 7/4 sap post from which,
Beck 15 in. diam. beam. N 54 W. 11 lbs. dist. to,
No. 8 " " " 144 E. 18 " "
83.40 Enter at the West Boundary at the post on of 1st 13 1824
T. 8 N.R. 2 W. Sound the same.

North
10.00 Return Dec 17 1818 T. 8 N.R. 1 W.
To a Brook 12 lbs. mid. corner D.W.
40.00 Set a 7/4 sap post from which,
Sugar 15 in. diam. beam N 57 E. 11 lbs. dist. to,
Beck 8 " " " 183 W. 29 " "
80.00 Set a post for the corner of 1st 17.18 1818 from which,
Sugar 8 in. diam. beam. N 49 W. 4 lbs. dist. to,
No. 4 " " " 141 E. 18 " "
Sound the same.

East
40.00 On a Random line between Dec 8 1817 T. 8 N.R. 1 W.
Set a timber 7/4 sap post.
79.30 Enter at the N 13 line 36 lbs. South of the post on
of 1st 8.9.16 1817 Sound the same.

West
39.65 On the line between Dec 8 1817 T. 8 N.R. 2 W.
Set the timber 7/4 sap post at the corner on the line in
from which, Sugar 8 in. diam. beam N 56 W. 14 lbs. dist.
made a No 5 " " " N 84 E. 18 " "
79.30 To the post on of 1st 7.8.17 1818.

West Return Sur. 7418 T. 8. S. R. 1 W.
 30.00 To a Brook 15 lmb mid, corner S.
 40.00 Set a post from whithy,
 Sugar. 10 in deer beam. S. E. 16 lmb dist. to,
 Hick. 10 " " " N. 34 W. 35 " "
 70.00 To a Oak 15 in deer in the line.
 81.71 Enter at the West Bound. 196 lmb South of
 the post cor of sec. 12 & 13 T. 8. S. R. 2 W. and
 set a post from cor of sec. 7 & 18 from whithy,
 Sugar. 15 in deer beam. S. E. 6 lmb dist. to,
 Logwood. 2 " " " N. 11 W. 5 " "
 Same the same.

North Return Sur. 7418 T. 8. S. R. 1 W.
 40.00 Set a post from whithy,
 Oak. 18 in deer beam. N. 19 W. 16 lmb dist. to,
 Oak. 14 " " " N. 27 W. 11 " "
 44.50 To a Brook 20 lmb mid, corner E.
 80.00 Set a post from cor of sec. 5, 6, 7 & 8 from whithy,
 Sugar. 12 in deer beam. N. 68 W. 25 lmb dist. to,
 Ho. 8 " " " S. 70 E. 10 " "
 Same the same.

East On a Panam line between Sur. 548 T. 8. S. R. 2 W.
 40.00 Set a post from whithy
 79.71 Enter at the N. T. S. line 65 lmb North of the post
 cor of Sur. 4, 5, 8 & 9 Same the same.

West On the same line between Sur. 548 T. 8. S. R. 1 W.
 39.85 Set the temporary support at the ar dist in the line
 from whithy Sugar. 15 in deer beam N. 24 W. 17 lmb dist.
 under N. 11 W. 30 " " " S. 70 E. 46 " "
 79.71 To the post cor of sec. 5, 6 & 7 & 8.
 Same

West Return Sur. 617 T. 8. S. R. 1 W.
 40.00 Set a post from whithy,
 Sugar. 8 in deer beam. S. 12 E. 21 lmb dist. to,
 Oak. 18 " " " N. 61 W. 40 " "
 64.00 To a Brook 10 lmb mid, corner S. E.
 81.70 Enter at the West Bound. 26 lmb North of the
 post cor of sec. 1 & 12 T. 8. S. R. 2 W. and set a post from
 the " " " 617 from whithy,
 Hick. 10 in deer beam. S. 9 W. 17 lmb dist. to,
 Logwood. 3 " " " N. 55 E. 13 " "
 Same the same.

North Return Sur. 546 T. 8. S. R. 2 W.
 40.00 Set a post from whithy,
 Sugar. 5 in deer beam. S. 5 W. 15 lmb dist. to,
 Ho. 12 " " " N. 68 W. 13 " "
 73.56 Enter at the N. T. Bound. 280 lmb East of the
 post cor of sec. 31 & 32 T. 9. S. R. 1 W. and set a post
 " " Sur. 546 from whithy,
 Sugar. 12 in deer beam. S. 85 W. 10 lmb dist. to,
 Oak. 5 " " " N. 72 E. 13 " "
 Same the same.

Surveyed by
 Arthur Henric.
 Dep. S. Sur.

Compd

I certify that the foregoing Transcript of the field
 notes of Township N. 8. S. R. No 9 W. Quad. Min. Ind.
 has been compared with the original notes of the
 Office and found to be correct.
 Surveyor General's Office
 Cincinnati Oct 20 1841

Sur. Genl.